

Pioneering Space – the Evolvable Mars Campaign


Greg Williams, Jason Crusan HEOMD

April 2015



JOURNEY TO MARS





MISSIONS: 6-12 MONTHS
RETURN: HOURS
EARTH RELIANT

MISSIONS: 1 TO 12 MONTHS RETURN: DAYS MISSIONS: 2 TO 3 YEARS RETURN: MONTHS

PROVING GROUND

EARTH INDEPENDENT

Engagement Product Development: Pioneering Space (update to Voyages)



- Integrated agency-level document that articulates NASA's top-level exploration strategy, encompassing robotics, human operations, and technology developments over the near- and far-term. Purpose is to:
 - Illustrate how the activities being implemented across the agency contribute to an integrated exploration strategy
 - Succinctly communicate our overall strategy of sustainable expansion of human presence across the solar system. Leave details with tailored documents and established processes within HEOMD and the Agency
 - Show that there are technically implementable ways to achieve human exploration beyond low Earth orbit. Each activity informs the next more ambitious objective in a real and tangible way.



Target Audience is:


- Internal NASA exploration team members agency-wide should be able to use this
 document to explain to an external audience how their work fits in the larger context of PS.
- Informed, nontechnical policy makers and decision makers White House, Congressional staffers, domestic aerospace industry executives
- International space agencies
- Advisory and special groups
- Pioneering Space document will be used to create other communication tools and techniques for the general public, formal programs and projects and other media


Pioneering Space - Outline



Overall Flow

- Letter From Administrator
- Our Goal
- Our Approach Pioneering Principles
- Our Approach Pioneering Strategy
- Proving Ground
- Pioneering Challenges
 - Transportation
 - Working in Space
 - Staying Healthy
 - Strategic Knowledge Gaps
- Our Progress and Plans
 - Earth-Reliant ISS, Commercial Crew/Cargo
 - Proving Ground SLS, Orion, SEP, protoflight habitat systems
 - Earth-Independent Robotic missions, evolving architectures
- On the Horizon Mars
 - Summary








Pioneering Space - Goals




"Fifty years after the creation of NASA, our goal is no longer just a destination to reach. Our goal is the capacity for people to work and learn and operate and live safely beyond the Earth for extended periods of time, ultimately in ways that are more sustainable and even indefinite. And in fulfilling this task, we will not only extend humanity's reach in space -- we will strengthen America's leadership here on Earth."




NASA Strategic Plan Objective 1.1





NASA Strategic Plan Objective 1.5





Strategic Principles for Sustainable Exploration



- Implementable in the *near-term with the buying power of current budgets* and in the longer term with budgets commensurate with economic growth;
- Exploration enables science and science enables exploration, leveraging robotic expertise for human exploration of the solar system
- Application of high Technology Readiness Level (TRL) technologies for near term missions, while focusing sustained investments on technologies and capabilities to address challenges of future missions;
- Near-term mission opportunities with a defined cadence of compelling and integrated human and robotic missions providing for an incremental buildup of capabilities for more complex missions over time;
- Opportunities for *U.S. commercial business* to further enhance the experience and business base;
- Multi-use, evolvable space infrastructure, minimizing unique major developments, with each mission leaving something behind to support subsequent missions; and
- Substantial *international and commercial participation*, leveraging current International Space Station and other partnerships.

EVOLVABLE MARS CAMPAIGN

A Pioneering Approach to Exploration




EARTH RELIANT


PROVING GROUND

EARTH INDEPENDENT









THE TRADE SPACE

Svstem 70 mt

Across the | Solar Electric Propulsion • In-Situ Resource Utilization (ISRU) • Robotic Precursors • Board | Human/Robotic Interactions • Partnership Coordination • Exploration and Science Activities

Trades

Cis-lunar | • Deep-space testing and autonomous operations

Space Launch

System 130 mt

- Extensibility to Mars
- Mars system staging/refurbishment point and trajectory analyses

Trades

- Mars Vicinity | Split versus monolithic habitat
 - Cargo pre-deployment
 - Mars Phobos/Deimos activities
 - Entry descent and landing concepts
 - Transportation technologies/trajectory analyses

Evolvable Mars Campaign

EMC Goal: Define a pioneering strategy and operational capabilities that can extend and sustain human presence in the solar system including a human journey to explore the Mars system starting in the mid-2030s.

- Identify a plan that:
 - Expands human presence into the solar system to advance exploration, science, innovation, benefits to humanity, and international collaboration.
 - Provides different future scenario options for a range of capability needs to be used as guidelines for near term activities and investments
 - In accordance with key strategic principles
 - Takes advantage of capability advancements
 - Leverages new scientific findings
 - Flexible to policy changes
 - Identifies linkages to and leverage current investments in ISS, SLS, Orion, ARM, habitation module, technology development investments, science activities
 - Emphasizes prepositioning and reuse/repurposing of systems when it makes sense
 - Use location(s) in cis-lunar space for aggregation and refurbishment of systems

Internal analysis team members:

- ARC, GRC, GSFC, HQ, JPL, JSC, KSC, LaRC and MSFC
- HEOMD, SMD, STMD, OCS and OCT

External inputs from:

 International partners, industry, academia, SKG analysis groups

PROVING GROUND OBJECTIVES



Enabling Human Missions to Mars

VALIDATE through analysis and flights

- ✓ Advanced Solar Electric Propulsion (SEP) systems to move large masses in interplanetary space
- ✓ Lunar Distant Retrograde Orbit as a staging point for large cargo masses en route to Mars
- ✓ SLS and Orion in deep space
- ✓ Long duration, deep space habitation systems
- ✓ Crew health and performance in a deep space environment
- ✓ In-Situ Resource Utilization in micro-g
- Operations with reduced logistics capability
- ✓ Structures and mechanisms

CONDUCT

- EVAs in deep space with sample handling in micro-g
- ✓ Integrated human and robotic mission operations
- ✓ Capability Pathfinder and SKG missions

EMC



✓ Emphasizes
 prepositioning and reuse/repurposing of systems


Major Results to Date



- Regardless of Mars vicinity destination, common capability developments are required
 - Mars vicinity missions selection not required before 2020
- ISS provides critical Mars mission capability development platform
- Lunar DRO is efficient for aggregation and potential refurbishment due to stable environment
 - Use of gravity assist trajectories enable use of DRO
- Orion Block 1 is sufficient for Mars architectures with reusable habitats
- SLS co-manifested cargo capability increases value of crewed missions and improves cadence
- Deep-space habitation serves as initial starting point regardless of implementation or destination
- ARV derived SEP vehicle can serve as an effective tool for human Mars missions
 - Reusability can enable follow-on use in cis-lunar space
 - Refuelability under study to enable Mars system follow-on use
 - Current SEP evolvability enables Mars system human missions
- Mars Phobos /Deimos as initial Mars vicinity mission spread out development costs and meets policy objectives of Mars vicinity in 2030's
 - Common crew transportation between Mars Phobos / Deimos and Mars Surface staging
 - Phobos provides 35% reduction of radiation exposure compared to other Mars orbit missions
 - Provides ability to address both exploration and science objectives
 - ARM returned asteroid at Lunar DRO serves as good location for testing Mars moon's operations

Mars Vicinity Missions Provide the "Pull"









Mars Orbit

- Opportunities for integrated humanrobotic missions:
 - Real time tele-operation on Martian surface
 - Mars sample return
- Demonstrate sustainable human exploration split-mission Mars concept
- Validate transportation and longduration human systems
- Validate human stay capability in zero/ micro-g

Mars Moons


- Opportunities for integrated humanrobotic missions:
 - Real time tele-operation on Martian surface
 - Mars & moons sample return
- Demonstrate sustainable human exploration split-mission Mars concept • Planet provides radiation protection
- Moons provides additional radiation protection
- In-situ resource utilization
- Validate human stay capability in low-g

Mars Surface

- Opportunities for integrated humanrobotic missions:
 - Search for signs of life
 - Comparative planetology
 - Understanding Mars climate changes
 - Geology/geophysics
- Entry, descent, landing
- EVA surface suits
- In-situ resource utilization
- Validate human stay capability in partial-g




Cis-Lunar Space: How the Earth and the Moon Interact



SLS Block 1B & Mission Element Concepts Under Study









Upper Stage Exploration

Core Stage / Boosters



5m fairing w/robotic lunar lander & shortduration hab module



Science Missions



ARM Mission



8m fairing with large aperture telescope



10m fairing w/notional Mars payload

total mission volume = ~ 400m3

total mission volume = ~ 600m3

total mission volume = ~ 400m3

total mission volume = ~ 400m3

total mission volume = ~ 1200m3

total mission volume = ~ 1800m3

ARM is a Stepping Stone to Higher Power SEP Needed to Support Human Missions to Mars






Energy Comparison with SSME



SSME



x 3

Isp = 453 s

Thrust = 2090 kN

P = 13,900,000 kW (all 3 engines)


Burn Time: 8 minutes

Energy = 1,860,000 kW-hrs (all 3)

engines together)

Propellant Mass: 835,000 kg

300-kW SEP



Isp = 2000 s

Thrust = 18 N (all 6 engines)

P = 195.3 kW (all 6 engines)

Burn Time: 10,000 hours

Energy = 1,950,000 kW-hrs (all 6)

engines together)

Propellant Mass: 32,500 kg

EMC Ground Rules & Constraints



- Humans to the Mars System by mid-2030's
 - Could imply Orbital, Phobos/Deimos and/or Surface
 - Mars Mission opportunities throughout the 2030s will be evaluated to avoid overly restrictive mission availability
- Propulsion technology will utilize solar-electric systems extensible from the Asteroid Redirect Vehicle (ARV) spacecraft bus
- SLS Block 2B launch vehicle will be available (4xRS25 Core + EUS + Advanced Boosters + 10-m shroud)
- Orion spacecraft will be available
- SLS/Orion launch rate of 1 per year is sustainable
- Vehicle checkout/aggregation in cis-lunar space may be advantageous
- Crew of four to Mars system assumed
- Crewed vehicle reusability is highly desirable for sustainability and potential cost advantages

FY2015 EMC Questions/Work Groups (A-F)



A. How do we pioneer an extended human presence on Mars that is Earth independent?

- In-situ Resource Utilization to reduce logistics chain and increase sustainability
- B. What are the objectives, engineering, and operational considerations that drive Mars surface landing sites?
 - Mars exploration and science objectives
 - Landing Site Requirements and Constraints
- C. What sequence(s) of missions do we think can meet our goals and constraints?
 - Will concepts satisfy the strategic principles?
- D. Is a reusable Mars transportation system viable?
 - Can an evolved ARV provide required function of in-space transportation to transport to Mars vicinity?
 - Reuse of habitat Can a 1000 day habitat be refurbished and reused for multiple missions?
 - Can the in-space habitat be used on Phobos?
- E. Can ARV derived SEP support Mars cargo delivery requirements?
 - Human class Mars lander
 - Can surface exploration be accomplished with an 18t lander? 27t?
 - Can an EDL system be developed for 18t lander? 27t?
- F. How can we maximize commonality across Mars ascent, Mars vicinity taxi, exploration vehicle and initial deep-space habitation component?

FY2015 EMC Questions/Work Groups (G-M)



G. What are the required capability investments for the EMC over the next five years?

- What are the capabilities that need to be developed prior to sending crew to Mars vicinity?
 - What are the capabilities that need to be tested on ISS?
 - What are the capabilities that need to be tested in cis-lunar space?

H. What is the appropriate habitation system?

- What functions do habitation systems need to be able to perform?
- Architecture sensitivities of transit habitat mass and volume
- Identify evolvability of habitation systems into Mars architecture to include identification of functional requirements.

I. Is Phobos a viable human target?

- Concepts for Mars moon exploration by crew
 - Phobos exploration and notional science objectives
 - Potential exploration sites
- What are the strategic knowledge gaps at Mars moons and potential pathfinder concepts?
- J. What are potential Mars surface pathfinder concepts?
- K. What capabilities are needed to enable elements to survive long dormancy periods in space?
- L. What communications capabilities are needed?
- M. Can humans survive 1000 days in deep space?

EMC ISRU Strategy – Phased Implementation



- ISRU implementation is phased to minimize risk to human exploration plans
 - Prospect and Demonstrate Mission Feasibility
 - Evaluate potential exploration sites: terrain, geology/resources, lighting, etc.
 - Demonstrate critical technologies, functions, and operations
 - Evaluate environmental impacts and long-term operation on hardware: dusty/abrasive/ electrostatic regolith, radiation/solar wind, day/night cycles, polar shadowing, etc.
 - Pilot Scale Operation Mission Enhancement
 - Perform critical demonstrations at scale and duration to minimize risk of utilization
 - Obtain design and flight experience before finalizing human mission element design
 - Pre-deploy and produce product before crewed missions arrive to enhance mission capability
 - Utilization Operations Mission Enabling
 - Produce at scale to enable ISRU-fueled reusable landers and support extended duration human surface operations
 - Commercial involvement or products bought commercially based previous mission results
- Identify technologies and systems for multiple applications (ISRU, life support, power) and multiple mission (Moon, Mars, NEOs)
- Multinational involvement based on expertise and long-term objectives


Mars Site Selection: Early Stages of SMD/HEOMD Development



- SMD and HEOMD initiated a collaborative site selection study in Dec. 2014.
 - Co-chaired by Rick Davis (SMD) and Ben Bussey (HEOMD)
- Forward work in FY2015:
 - Identify existing work to identify a set of sites that would meet meet both human exploration and science requirements.
 - Identify those that have not yet been imaged by MRO and prioritize future observations
 - Refine HEOMD preliminary human landing site requirements
 - Jointly present Human Exploration Landing Site study at the MEPAG Mars 2020 site selection workshop in Aug. 2015


2015 Human Landing Sites Study






SEP Module Extensibility for Mars





Block 1


- 50-kW Solar Array
- 40-kW EP System
- 10-t Xenon Capacity





Block 1a (SEP/Chem)


- 190-kW Solar Array
- 150-kW EP System
- 16-t Xenon Capacity






Hybrid

- 250 to 400-kW Solar Array
- 150 to 200-kW EP System
- 16-t Xenon Capacity With Xe Refueling Capability



Largest Indivisible Payload Element and **Options for Size of the Lander**





Extensibility of Habitation Systems - Commonality



- Habitation systems are under study in the EMC and considered the next habitation system following Orion. The new system would serve as the foundation for deep space testing and proto-flight vehicle for smaller/shortduration Mars exploration systems
- Commonality can be leveraged across two major classes of vehicles:
 - Short duration/destination initial deep-space habitation, Phobos Taxi, logistics carriers, Mars Surface/Phobos Mobility, Mars/Lunar Ascent, and possibly airlocks
 - Long duration Transit Habitat, Phobos Habitat, Mars Surface Habitat



Hab and logistics carriers constrained by early cargo capability (SLS cargo with crew and EELVs - ~4.6m x 10m)

30 – 60 Days



Long Duration



Logistics Carriers



Phobos Taxi



Mars Surface/Phobos Mobility



Mars/Lunar
Ascent Vehicle
Cabin



Transit/Phobos Hab

(docked to hab)



Phobos Hab

Mars Surface Habitat





500 Days


Extensibility of Habitation Systems - Modularity



Two paths for long duration habitation modularity

 Right to Left: Derive common long duration habitat systems and pressure shell commonality options from Mars lander and Phobos habitat transportation system

(SEP) constraints.



Commercial Opportunities in Space with NASA

ROUTINE TRANSPORTATION

Commercial Resupply 1 Commercial Resupply 2 Commercial Crew Collaborations for Commercial Space Capabilities

Asteroid Redirect Mission BAA

Lunar CATALYST

CASIS

RESEARCH

Evolve ISS RFI Mars Telecom RFI **NextSTEP BAA**

EXPLORATION

NextSTEP BAA Overview



- Solicited three critical areas for technology maturation:
 - Advanced Propulsion Systems
 - Habitation Systems (Including Life Support)
 - Small Satellite Missions (EM-1 secondary payloads)




- Facilitates development of deep space human exploration capabilities in the cis-lunar proving ground and beyond
- Continues successful public-private partnership model and spurs commercial endeavors in space
- Selected 12 proposals and will proceed to enter into Fixed Price
 Contracts with technical/payment milestones with private-sector partners
 - Emphasis for eligibility and execution placed on contribution of private corporate resources to the private-public partnership to achieve goals and objectives
 - Selected partners with the technical capability to mature key technologies and demonstrate commitment toward potential commercial application

NextSTEP: Two BAA Small Satellite Awards



Two CubeSat projects will address Strategic Knowledge Gaps


Morehead State University Morehead, KY



6U Lunar IceCube

Prospect for water in ice, liquid, and vapor forms and other lunar volatiles from a low-perigee, highly inclined lunar orbit using a compact IR spectrometer

Lockheed Martin Denver, CO



Skyfire 6U CubeSat


GEO Technology Demo Will perform lunar flyby, collecting spectroscopy and thermography address both Moon and Mars SKGs for surface characterization, remote sensing, and site selection. 32

NextSTEP BAA: Three Propulsion Awards




Developing propulsion technology systems in the 50- to 300-kW range to meet the needs of a variety of deep-space mission concepts

Ad Astra Rocket Company Webster, Texas




Thermal Steady State Testing of a VASIMR Rocket Core with Scalability to Human Spaceflight **Aerojet Rocketdyne Inc.** Redmond, Washington



Operational
Demonstration of a 100
kW Electric Propulsion
System with 250 kW
Nested Hall Thruster

MSNW LLC,
Redmond, Washington




Flexible High Power Electric Propulsion for Exploration Class Missions

NextSTEP BAA: Seven Habitation Awards (1 of 3)




NASA awarded seven habitation projects. Four will address habitat concept development, and three will address Environmental Control and Life Support Systems (ECLSS)

Lockheed Martin Denver, CO



Habitat to augment Orion's capabilities. Design will draw strongly on LM and partner Thales Alenia's heritage designs in habitation and propulsion.

Bigelow Aerospace LLC Las Vegas, NV




The B330 for deep-space habitation will support operations/missions in LEO, DRO, and beyond cis-lunar space

NextSTEP BAA Habitation Awards (2 of 3)



NASA awarded seven habitation projects. Four will address habitat concept development, and three will address Environmental Control and Life Support Systems (ECLSS)

Orbital ATK Dulles, VA



Habitat that employs a modular, building block approach that leverages the Cygnus spacecraft to expand cis-lunar and long duration deep space transit habitation capabilities and technologies

Boeing Houston, TX




Developing a simple, low cost habitat that is affordable early on, allowing various technologies to be tested over time, and that is capable of evolving into a long-duration crew support system for cis-lunar and Mars exploration

NextSTEP BAA Habitation Awards (3 of 3)



NASA awarded seven habitation projects. Four will address habitat concept development, and three will address Environmental Control and Life Support Systems (ECLSS)

Dynetics, Inc Huntsville, AL




Miniature atmospheric scrubbing system for long-duration exploration and habitation applications.
Separates CO2 and other undesirable gases from spacecraft cabin air

Hamilton Sundstrand
Space Systems
International
Windsor Locks, CT

Larger, more modular ECLSS subsystems, requiring less integration and maximize component commonality

Orbitec Madison, WI



Hybrid Life Support
Systems integrating
established Physical/
Chemical life support with
bioproduction systems


System Maturation Teams




- The SMTs are a standing team of subject matter experts that have been asked to identify capability performance requirements for each Capability Driven Framework (CDF) mission class.
 - Also used to review project proposals, recommendations for integrated ISS and ground testing and budget inputs for their perspective areas.
- SMTs generated data sets identifying state-of-the-art technology performance parameters deemed necessary for exploration systems
 - Used existing Design Reference Missions
 - Using data as input for OCT Agency technology road-mapping activity
 - Using data to engage international partners

NASA Technology Roadmaps & Investment Plan





Achieving Alignment for Pioneering Space



Commercial & International Partners • Other Government Agencies • Citizen Innovators

